



## SPECIFICATION

40FT Flatbed semi trailer	
Feature:	Carry 1X20FT、 1X40FT、 or 2X20FT container
Dimension(L*W*H):	12420*2480*1570mm
Main frame:	Heavy duty and extra durability design; Opting for high tensible low carbon alloy Q345B steel; I beam welded by automotive arc-submerge process
Model:	SS9380TP
No. of axle:	3
Payload(kgs):	50000
Tare weight(kgs):	7200
Kingpin:	Bolt-in type 3.5" or 2"
Landing gear:	Two-speed manual operation 19"
Tire size:	12R22.5 (13 sets)
Rim size:	9.00*22.5(13 sets)
Axle:	3 Axle, 13 Tons
Suspension	Spring suspension with 8pcs of leaf spring
Brake system:	Dual line with Re-6 emergency relay valve, T30/30 air chamber, 46L air tank
Electric system:	One unit of 24V 7-pin ISO standard socket; with brake light, turn light, reverse light, side light, reflector, fog light; one set of 6-pin standard cable
Container locks	12(for 1x20GP,2X20GP,1X40HQ)
Painting:	Two coat of anti-corrosion prime; one coat of finish painting
Accessory:	One tool box; one set of standard tool



# SUNSKY VEHICLE CO., LIMITED

Web: [www.sunskytrailer.com](http://www.sunskytrailer.com)

Cell/whatsapp: +86 15160077525

Email: [sunskytrailers@gmail.com](mailto:sunskytrailers@gmail.com)

## Product Photo



## Advantages

1. The structure of flatbed semi-trailer is made of high-strength international steel; it has light dead weight, and it has good advantage in anti-distortion, anti-seismic, anti-turbulence, and meets the needs of different road bearing capacity.
2. The web height of flatbed trailer is from 400mm to 550mm, the longitudinal beam is welded by automatic submerged arc welding, the frame is shot peening, and the beam penetrates the longitudinal beam and welds the whole.
3. Tandem dry plate spring and suspension bearing composition, reasonable structure, with strong rigidity and strength, used to support the load slow impact.



# SUNSKY VEHICLE CO., LIMITED

Web: [www.sunskytrailer.com](http://www.sunskytrailer.com)

Cell/whatsapp: +86 15160077525

Email: [sunskytrailers@gmail.com](mailto:sunskytrailers@gmail.com)

## Product detail photos



Long life LED lighting system  
Durable and Attractive rear bumper design



Heavy duty design suspension hanger  
Main beam thickness 14 /8 /16mm, Durable chassis



Heavy load American type spring suspension  
Long lifespan and low maintain cost Axles



Heavy loading 19 Inch Two speed landing gear  
Strong Side fence to protect the trailer

## Deliver Photo



Two units flatbed trailers load by 40FT High container



Three units flatbed trailers fold and load by bulk ship



# SUNSKY VEHICLE CO., LIMITED

Web: [www.sunskytrailer.com](http://www.sunskytrailer.com)

Cell/whatsapp: +86 15160077525

Email: [sunskytrailers@gmail.com](mailto:sunskytrailers@gmail.com)

## Production Process

